

THE PERFECT ENCLOSURE. AND NOTHING ELSE.

MODEL: MINIKIN ARMADILLO



**IOIO
BOX**.co

DATA SHEET



DATA SHEET

IOIOBox :: Minikin
Removable UniHangers
for hanging from Unistrut
or direct to wall mounting




IOIOBox :: Minikin
Removable
30° Articulating
Verticle 4U Rackmount



IOIOBox :: Minikin
Optional Cable Ingress Hood
w/ Self Healing Rubber Gasket



Industrial grade latch and lock with three points of locking contact, padlock shackle, and cam lock keys.



Premium Stainless Steel Cable Glands in multiple sizes, Self Healing Rubber Gasket & Good, or the optional Rextex Cable Ingress, shown here.



Multiple options for temperature control, Heat-Only, Standard Vented, PoweVent, or 300W AC-Heater.

Overall Dimensions	27.423"W x 11.487"D x 33.25"H
Material	Powerder Coated 0.09" Aluminum
Internal Dimensions	27.00"W x 8.625"D x 32.827"H
Cable Ingress Opening	1.457"W x 6.220"H
Overall Door Openings	20.604"W x 22.375"H
Rackable Space	4U / 7.50"
Max Rack Depth w/Articulation	1st U - 17.875"
	2nd U - 21.875"
	3rd U - 24.875"
	4th U - 27.5"
Max Rack Depth w/o Articulation	27.5" (Rack to Floor)
Available Space Above Rack	5.5" (Rack to Ceiling)
Wall/UniStrut Mounting	16" (Center to Center)
Weight w/o Door	30lbs

